TIMBEREDGE

UPVC PROFILE

SHAPING YOUR SPACE



Better Windows.
Better Living.

High Performance
UPVC Windows & Doors

- Durable & Long Lasting
- Thermal Insulation
- Noise Reduction

Comfort. Security. Savings.

UPVC PROFILE GERMAN TECHONOLOGY

20 year's warranty of colour fadding & crack

TIMBEREDGE

Premium uPVC Window & Door Systems

Engineered for architects, builders, and interior designers who demand excellence in every detail.





About Us

Who We Are

We are a premium uPVC window and door systems manufacturer delivering world-class fenestration solutions across India. With decades of expertise, we combine European engineering standards with local manufacturing excellence to create products that redefine living and working spaces.

TIMBEREDGE
UPVC PROFILE
SHAPING YOUR SPACE

TIMBEREDGE has the advanced production lines and inspectionequipment. Our raw materials adopt the international advanced Eco friendly stablizers, American Dupont titanium dioxide and swiss CIBA UV convert agent.About the manufacture processing,we establish a long-term technical exchange and cooperative with **GERMANY PVC-U** experts,During the production process we strictly adhere to the window and door profile nationalstandard GB/T8814-2017 and ISO9001 Quality Managment system.

the **TIMBEREDGE** products consist of 60/65/70 casement series and 60/80/88/92 sliding series which are available in white, full color with wood film, duble-color extrusion (ASA), full color, and aluminium-plastic composite series products. **TIMBEREDGE** has passed the **IOS9001** Quality Management sytem Certification and IOS 11001 International Enviromental Management system certification in 2008, since 20211 Beidi Enterprise keep Advertising on CCTV.So far the company has exported the products to many countries of the world, like india,Middle East,Africa,South America,North America and so on.

the **TIMBEREDGE** will continue to follow on the path of “development, Innovation,practical solutions, hard work and dedication.” **TIMBEREDGE’S** business philosophy is one of “listening to the market demands, focusing on the customer, and using talent and integrity to support development”.we will continue to utilize scientific management,full development,rational utilization of resources and continuously improve satisfication of our customers’ demand as the main goal of improving peoples’ working and living enviroment.

TYPES OF WINDOW’S

- Casment windows & Doors
- Sliding windows & Doors
- French windows
- Top Hung Windows
- Sliding folding
- Vertical Sliding Windows
- Exhaust Louver
- UPVC Partitions
- UPVC Fixed



UPVC Profile System

Our multi-chamber uPVC profiles are manufactured from lead-free, UV-stabilised virgin PVC compound ,ensuring dimensional stability and cooler retention across India's diverse climate zones.

Multi Design

Optimised air chambers for thermal and acoustic insulation performance

60mm / 70mm / 80mm Series


Available in multiple depth configurations for varied structural requirements

Galvanised Steel Reinforcement

Internal steel inserts provide structural rigidity and load-bearing strength

CASEMENT SERIES

TIMBEREDGE
UPVC PROFILE
SHAPING YOUR SPACE




NAME:60frame B

CODE:TE60K-B

THICKNES(MM):2.2

WEIGHT WITH GASKET(KG/M): 1.050

WEIGHT/PIECE (kgs/5.9m): 6.1950




NAME: 60 outward sash B

CODE: TE60WKSB

THICKNES(MM): 2.2

WEIGHT WITH GASKET(KG/M): 1.250

WEIGHT/PIECE (kgs/5.9m):5.9000




NAME: 60 mullion B

CODE:TE60T-B

THICKNES(MM):2.2

WEIGHT WITH GASKET(KG/M): 1.135

WEIGHT/PIECE (kgs/5.9m): 6.6906




NAME: 6o out-swing doorsash(O,O gasket/O,K gasket)

CODE:TE-P60WKMS

THICKNES(MM):2.2

WEIGHT WITH GASKET(KG/M):1.600

WEIGHT/PIECE (kgs/5.9m): 9.4400




NAME: 60 double glazing bead 18

CODE:TE60SHY-18

THICKNES(MM): 1.3

WEIGHT WITH GASKET(KG/M): 0.217

WEIGHT/PIECE (kgs/5.9m): 1.2803




NAME: 60Z mullion

CODE:TE60ZT

THICKNES(MM): 1.7

WEIGHT WITH GASKET(KG/M): 0.984

WEIGHT/PIECE (kgs/5.9m): 5.8056



NAME: glazing bead 36B

CODE: TE-MYT36B


THICKNES(MM): 1.5

WEIGHT WITH GASKET(KG/M): 0.31

WEIGHT/PIECE (kgs/5.9m): 1.80

SLIDING SERIES

TIMBEREDGE
UPVC PROFILE
SHAPING YOUR SPACE




NAME: 62 frame

CODE: TE62SGK

THICKNES(MM): 2.2

WEIGHT WITH GASKET(KG/M): 1.134

WEIGHT/PIECE (kgs/5.9m): 6.6906




NAME: 90 frame

CODE: TE-T90K

THICKNES(MM): 2.1

WEIGHT WITH GASKET(KG/M): 1.300

WEIGHT/PIECE (kgs/5.9m): 7.6700




NAME: 112 Sliding frame

CODE: TE-T112K

THICKNES(MM): 2.1

WEIGHT WITH GASKET(KG/M): 1.600

WEIGHT/PIECE (kgs/5.9m): 9.4400




NAME: 42-85 door sash

CODE:TE42S-85

THICKNES(MM): 2.2

WEIGHT WITH GASKET(KG/M): 1.250

WEIGHT/PIECE (kgs/5.9m): 7.3750




NAME: 42-66 sash A

CODE: TE42S66A

THICKNES(MM): 2.0

WEIGHT WITH GASKET(KG/M): 0.992

WEIGHT/PIECE (kgs/5.9m): 5.8528




NAME: 80 sash mullion

CODE: TE88SZT

THICKNES(MM): 1.8

WEIGHT WITH GASKET(KG/M): 0.725

WEIGHT/PIECE (kgs/5.9m): 4.2775




NAME: 88 sash cover

CODE: TE88FG

THICKNES(MM): 1.200

WEIGHT WITH GASKET(KG/M): 0.227

WEIGHT/PIECE (kgs/5.9m): 1.3393



NAME: 92 cover

CODE: TE112FG


THICKNES(MM): 1.200

WEIGHT WITH GASKET(KG/M): 0.235

WEIGHT/PIECE (kgs/5.9m): 1.3865

SLIDING SERIES

TIMBEREDGE
UPVC PROFILE
SHAPING YOUR SPACE




NAME: glazing bead 25

CODE: TE-HDY25

THICKNES(MM): 1.5

WEIGHT WITH GASKET(KG/M): 0.25

WEIGHT/PIECE (kgs/5.9m): 1.8




NAME: glazing bead 9.5
(glass thickness 15mm(3+9A+3)

CODE: TE-SHY95

THICKNES(MM): 1.5

WEIGHT WITH GASKET(KG/M): 0.190

WEIGHT/PIECE (kgs/5.9m): 1.1210




NAME: 52 screen sash B

CODE: TE-TLDSS-B

THICKNES(MM): 1.7

WEIGHT WITH GASKET(KG/M): 0.500

WEIGHT/PIECE (kgs/5.9m): 2.9500



NAME: 112 big screen sash


CODE: TE-112DSS

THICKNES(MM): 1.700

WEIGHT WITH GASKET(KG/M): 0.630

WEIGHT/PIECE (kgs/5.9m): 3v.7170

AUXILIARY SERIES




NAME: 88 interlock

CODE: TE88GM

THICKNES(MM): 1.500

WEIGHT WITH GASKET(KG/M): 0.283

WEIGHT/PIECE (kgs/5.9m): 1.6697




NAME: 60 blind louver 1

CODE: TE-BY1

THICKNES(MM): 1.2

WEIGHT WITH GASKET(KG/M): 0.217

WEIGHT/PIECE (kgs/5.9m): 1.2803




NAME: 60 flat board

CODE: TE60PB

THICKNES(MM): 1.3

WEIGHT WITH GASKET(KG/M): 0.30

WEIGHT/PIECE (kgs/5.9m): .20



NAME: 60 corner


CODE: TE60ZJ

THICKNES(MM): 1.8

WEIGHT/PIECE (kgs/5.9m): 0.72

AUXILIARY SERIES

TIMBEREDGE
UPVC PROFILE
SHAPING YOUR SPACE




NAME: sliding round pipe

CODE: TE-WXZJYG

THICKNES(MM): 1.8

WEIGHT WITH GASKET(KG/M): 0.634

WEIGHT/PIECE (kgs/5.9m): 3.7406




NAME: 60 any angle corner site

CODE: TE60WXZJZ

THICKNES(MM): 1.5

WEIGHT WITH GASKET(KG/M): 0.484

WEIGHT/PIECE (kgs/5.9m): 2.8556




NAME: 60-88 corner

CODE: TE60-88ZJ

THICKNES(MM): 1.8

WEIGHT WITH GASKET(KG/M): 0.867

WEIGHT/PIECE (kgs/5.9m): 5.1153




NAME: 60 tube adaptor

CODE: TE60PG

THICKNES(MM): 0.55

WEIGHT WITH GASKET(KG/M): 0.31

WEIGHT/PIECE (kgs/5.9m): 1.6




NAME: 60-88 flat board

CODE: TE60-88PB

THICKNES(MM): 1.5

WEIGHT WITH GASKET(KG/M): 0.383

WEIGHT/PIECE (kgs/5.9m): 2.2597




NAME: 60 Door flap

CODE: TE60MD

THICKNES(MM): 1.5

WEIGHT WITH GASKET(KG/M): 0.360

WEIGHT/PIECE (kgs/5.9m): 2.1240



NAME: 15x150 door panel

CODE: TE90MBC

THICKNES(MM): 1.1

WEIGHT WITH GASKET(KG/M): 0.667


WEIGHT/PIECE (kgs/5.9m): 3.9353

COLOUR

TIMBEREDGE
UPVC PROFILE
SHAPING YOUR SPACE


Profile Colours & Finishes

Beyond classic white, our profiles are available in a curated palette of woodgrain foils and solid colours — applied via precision lamination for lasting beauty without maintenance.




Woodgrain Oak

Rich warm timber aesthetic without the upkeep of real wood




Jet Black

It gives residential and commercial spaces a premium, architectural edge.



Anthracite Grey

Contemporary dark finish popular in modern and industrial architecture




Mahogamy

the luxurious look of traditional tropical hardwood.



Classic White

Timeless, versatile, and compatible with every architectural style



Dark oak

A rich blend of dark chocolate and deep espresso. It has natural-looking lighter and darker variations



Quality & Materials

★★★★★ **IS:12894**

BIS Certified
Profiles certified to Indian Standard for uPVC door and window systems

★★★★★ **100%**


Lead-Free
Virgin uPVC compound — safe for residential, school, and hospital environments

★★★★★ **20Yr**

Color fading and crack Warranty
Comprehensive warranty on profiles, hardware, and glazing seals

★☆☆☆☆ **P1**

Wind Rating
Tested to P1 wind load classification for high-rise and coastal installations



Hardware & Accessories

- **Multi-point locking systems** — AISI 304 stainless steel, anti-corrosion
- **Ergonomic handles** — brushed chrome, satin, and matte black finishes
- **EPDM weather seals** — triple-seal system for zero air and water infiltration
- **Fly screen integration** — retractable and fixed options available
- **Drainage channels** — engineered to handle India's monsoon rainfall loads

Every component in our system is sourced from certified European hardware manufacturers, ensuring seamless integration and long-term reliability across the full product range.



Elegance in Motion

Our sliding window systems combine sleek, minimalist frames with smooth hardware mechanisms for effortless operation. Designed for large openings, they maximise natural light while maintaining a slim sightline profile that architects prefer.

- 2-track and 3-track configurations available
- Stainless steel roller system for silent, smooth glide
- Anti-lift and anti-pry security locks as standard
- Compatible with double and triple glazing units

TIMBEREDGE

UPVC PROFILE

SHAPING YOUR SPACE



Exclusive brand customization service

One-stop Purchasing Manufacturer

lead-free · RoHS 2002/95/EC · UV PROTECTION · IAF INTERNATIONAL ACCREDITATION FORUM

CERTIFIED ISO 9001:2015 COMPANY · CE · 20 YEARS WARRENTY

+91 90030 77481

timberedge26@gmail.com

Office address: No 69, Murugan Kovil Street, Santhosh nagar, korattur, Chennai -600076

Factory address: No 05, bai nagar , Pulliyon village , Payasambakkam , Redhills , Chennai-600052